

**Nowave LLC**

Rochester, NY 14624

Lic. #OCM-AUCP-22-000010

**Sample: 2403RLI0041.0128**

Strain: N/A

Batch#: WWHEMPGEL0001; Batch Size: 1110 ml; Harvest Process Lot:  
Sample Received: 03/08/2024; Report Created: 03/18/2024;

**Weed Water: Gelato HEMP**

Ingestible, Beverage  
Contact Person: Seth Brophy

## Sampling

Sample Collection Date/Time: 03/07/24 17:05  
Sample Collection Site: Nowave  
Sampling Firm: Client provided  
Sampling Method: N/A  
Sampling Notes/Deviations:



## Safety

<b>Pass</b> Pesticides	<b>Pass</b> Microbials	<b>Pass</b> Mycotoxins
<b>Pass</b> Solvents	<b>Pass</b> Metals	<b>Not Tested</b> Foreign Matter

## Cannabinoids

<b>9.60 mg/unit</b> Total THC	<b>2.24 mg/unit</b> Total CBD	<b>NT</b> Moisture
----------------------------------	----------------------------------	-----------------------

Analyte	LOQ	Result	Result
	mg/g	mg/unit	%
CBDVa	0.20	ND	ND
CBDV	0.20	ND	ND
CBDa	0.20	ND	ND
CBGa	0.20	ND	ND
CBG	0.20	ND	ND
CBD	0.20	2.24	0.224
THCV	0.20	ND	ND
THCVa	0.20	ND	ND
CBN	0.20	ND	ND
Δ9-THC	0.20	9.60	0.960
Δ8-THC	0.20	ND	ND
(6aR,9R)-d10-THC	0.20	ND	ND
(6aR,9S)-d10-THC	0.20	ND	ND
CBC	0.20	ND	ND
THCa	0.20	ND	ND
CBCa	0.20	ND	ND
<b>Total</b>		<b>11.84</b>	<b>1.184</b>

Entered By: VJ, Instrument ID: AL2-002  
Method: MTHD-001, Date Tested: 03/11/2024 13:51  
Total theoretical THC % = (delta-9- THC%) + (THCA% x 0.877)

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-2022-00011



*Anshu Shrestha*

Anshu Shrestha  
Laboratory Director

*Violet Josik*

Violet Josik  
Quality Assurance Lead



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

**Nowave LLC**

Rochester, NY 14624

Lic. #OCM-AUCP-22-000010

**Weed Water: Gelato HEMP**

Ingestible, Beverage  
Contact Person: Seth Brophy

**Sample: 2403RLI0041.0128**

Strain: N/A

Batch#: WWHEMPGEL0001; Batch Size: 1110 ml; Harvest Process Lot:  
Sample Received: 03/08/2024; Report Created: 03/18/2024;

## Sampling

Sample Collection Date/Time: 03/07/24 17:05  
Sample Collection Site: Nowave  
Sampling Firm: Client provided  
Sampling Method: N/A  
Sampling Notes/Deviations:

## Residual Solvents

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM
1,2-Dichloro-Ethane	3.9	5.0	ND	Pass
2,2-Dimethyl-Butane	31.3		ND	Tested
2,3-Dimethyl-Butane	31.3		ND	Tested
2-Methyl-Pentane	31.3		ND	Tested
3-Methyl-Pentane	31.3		ND	Tested
Acetone	156.3	5000.0	ND	Pass
Acetonitrile	156.3	410.0	ND	Pass
Benzene	1.6	2.0	ND	Pass
Chloroform	1.6	60.0	ND	Pass
Dichloromethane	156.3	600.0	ND	Pass
Dimethyl Sulfoxide	156.3	5000.0	ND	Pass
Ethanol	156.3	5000.0	ND	Pass
Ethyl-Acetate	156.3	5000.0	ND	Pass
Ethyl-Ether	156.3	5000.0	ND	Pass
Heptane	156.3	5000.0	ND	Pass
Isobutane	78.1		ND	Tested
2-Methyl-Butane	52.1		ND	Tested
Isopropanol	156.3	5000.0	ND	Pass
m+p Xylene	78.1	2170.0	ND	Pass
Methanol	156.3	3000.0	<LOQ	Pass
n-Butane	78.1		ND	Tested
Neopentane	52.1		ND	Tested
n-Hexane	31.3		ND	Tested
n-Pentane	52.1		ND	Tested
o-Xylene	39.1		ND	Tested
Propane	156.3	5000.0	ND	Pass
Toluene	156.3	890.0	ND	Pass
Trichloroethane	78.1	1500.0	ND	Pass
Butanes		5000.0	ND	Pass
Hexanes		290.0	ND	Pass
Pentanes		5000.0	ND	Pass
Xylenes		2170.0	ND	Pass

Entered By: CB, Instrument ID: AL1-001  
Method: MTHD-007, Date Tested: 03/14/2024 13:37  
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported  
Limits for Butanes, Hexanes, Pentanes and Xylenes are to be calculated as a total, individual limits not listed.

## Microbials

Pass

Analyte	Limit	Result	Status
	CFU/g	CFU/g	
Aspergillus flavus	Absent	Absence	Pass
Aspergillus fumigatus	Absent	Absence	Pass
Aspergillus niger	Absent	Absence	Pass
Aspergillus terreus	Absent	Absence	Pass
Salmonella	Absent	Absence	Pass
Shiga Toxin E. Coli	Absent	Absence	Pass
Aerobic Bacteria	10000	ND	Pass
Yeast & Mold	1000	ND	Pass

Entered By: MR, Instrument ID: M-001 / M-012  
Aerobic Date Tested: 03/13/2024 14:53  
YM Date Tested: 03/11/2024 07:59 Sal/STEC Date Tested: 03/11/2024 12:18  
Methods: MTHD-010, MTHD-011, MTHD-012, MTHD-013

## Heavy Metals

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Chromium	1.0000	110.0000	ND	Pass
Nickel	0.5000	20.0000	ND	Pass
Copper	1.0000	300.0000	<LOQ	Pass
Arsenic	0.1000	1.5000	<LOQ	Pass
Cadmium	0.1000	0.5000	ND	Pass
Antimony	0.5000	120.0000	ND	Pass
Mercury	0.0500	3.0000	ND	Pass
Lead	0.2500	0.5000	ND	Pass

Entered By: MR, Instrument ID: AL2-001  
Method: MTHD-006 Date Tested: 03/13/2024 10:19  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

## Mycotoxins

Pass

Analyte	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	
Aflatoxin B1	0.01	0.02	ND	Pass
Aflatoxin B2	0.01	0.02	ND	Pass
Aflatoxin G1	0.01	0.02	ND	Pass
Aflatoxin G2	0.01	0.02	ND	Pass
Ochratoxin A	0.01	0.02	ND	Pass
Total Aflatoxins		0.02	0.00	Pass

Entered By: AS, Instrument ID: AL1-003  
Method: MTHD-009 Date Tested: 03/11/2024 18:18



*Anshu Shrestha*

Anshu Shrestha  
Laboratory Director

*Violet Josik*

Violet Josik  
Quality Assurance Lead





# Certificate of Analysis

Powered by Confident LIMS  
3 of 6

Nowave LLC

Sample: 2403RLI0041.0128

Rochester, NY 14624

Strain: N/A  
Batch#: WWHEMPGEL0001; Batch Size: 1110 ml; Harvest Process Lot:  
Sample Received: 03/08/2024; Report Created: 03/18/2024;

Lic. #OCM-AUCP-22-000010

## Sampling

Sample Collection Date/Time: 03/07/24 17:05  
Sample Collection Site: Nowave  
Sampling Firm: Client provided  
Sampling Method: N/A  
Sampling Notes/Deviations:

Weed Water: Gelato HEMP

Ingestible, Beverage  
Contact Person: Seth Brophy

## Terpenes

## Complete

## Primary Aromas

Analyte	LOQ	Result	Result
	%	%	mg/g
α-Bisabolol	0.0065	ND	ND
α-Humulene	0.0065	ND	ND
α-Phellandrene	0.0052	ND	ND
α-Pinene	0.0065	ND	ND
α-Terpinene	0.0065	ND	ND
β-Caryophyllene	0.0065	ND	ND
β-Myrcene	0.0065	ND	ND
β-Pinene	0.0065	ND	ND
Camphene	0.0065	ND	ND
Caryophyllene Oxide	0.0065	ND	ND
Farnesene	0.0021	ND	ND
Fenchol	0.0104	ND	ND
Geraniol	0.0065	ND	ND
Guaiol	0.0065	ND	ND
Limonene	0.0065	ND	ND
Linalool	0.0065	ND	ND
Ocimene	0.0065	ND	ND
Terpineol	0.0052	ND	ND
Terpinolene	0.0065	ND	ND
Valencene	0.0021	ND	ND
Total Terpenes		ND	ND

Entered By: CB, Instrument ID: AL1-001  
Method: MTHD-005, Date Tested: 03/12/2024 19:07

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-2022-00011



*Anshu Shrestha*

Anshu Shrestha  
Laboratory Director

*Violet Josik*

Violet Josik  
Quality Assurance Lead



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866

[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Powered by Confident LIMS  
4 of 6

Nowave LLC

Sample: 2403RLI0041.0128

Rochester, NY 14624

Strain: N/A  
Batch#: WWHEMPGEL0001; Batch Size: 1110 ml; Harvest Process Lot:  
Sample Received: 03/08/2024; Report Created: 03/18/2024;

Lic. #OCM-AUCP-22-000010

## Sampling

Sample Collection Date/Time: 03/07/24 17:05  
Sample Collection Site: Nowave  
Sampling Firm: Client provided  
Sampling Method: N/A  
Sampling Notes/Deviations:

Weed Water: Gelato HEMP

Ingestible, Beverage  
Contact Person: Seth Brophy

## Pesticides

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Abamectin	0.10	0.50	ND	Pass
Acephate	0.10	0.40	ND	Pass
Acequinocyl	0.10	2.00	ND	Pass
Acetamiprid	0.10	0.20	ND	Pass
Aldicarb	0.10	0.40	ND	Pass
Azadirachtin	0.50	1.00	ND	Pass
Azoxystrobin	0.10	0.20	ND	Pass
Bifenazate	0.10	0.20	ND	Pass
Bifenthrin	0.10	0.20	ND	Pass
Boscalid	0.10	0.40	ND	Pass
Captan	0.50	1.00	ND	Pass
Carbaryl	0.10	0.20	ND	Pass
Carbofuran	0.10	0.20	ND	Pass
Chlorantraniliprole	0.10	0.20	ND	Pass
Chlordane	0.50	1.00	ND	Pass
Chlorfenapyr	0.50	1.00	ND	Pass
Chloromequat chloride	0.10	1.00	<LOQ	Pass
Chlorpyrifos	0.10	0.20	ND	Pass
Clofentezine	0.10	0.20	ND	Pass
Coumaphos	0.10	1.00	ND	Pass
Cyfluthrin	0.10	1.00	ND	Pass
Cypermethrin	0.10	1.00	ND	Pass
Daminozide	0.10	1.00	<LOQ	Pass
Diazinon	0.10	0.20	ND	Pass
Dichlorvos	0.10	1.00	ND	Pass

Entered By: AS, Instrument ID: AL1-003 & AL1-002  
Method: MTHD-008 GC Date Tested: 03/13/2024 16:54  
Method: MTHD-009 LC Date Tested: 03/12/2024 18:18  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-2022-00011



*Anshu Shrestha*

Anshu Shrestha  
Laboratory Director

*Violet Josik*

Violet Josik  
Quality Assurance Lead



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Powered by Confident LIMS  
5 of 6

Nowave LLC

Sample: 2403RLI0041.0128

Rochester, NY 14624

Strain: N/A  
Batch#: WWHEMPGEL0001; Batch Size: 1110 ml; Harvest Process Lot:  
Sample Received: 03/08/2024; Report Created: 03/18/2024;

Lic. #OCM-AUCP-22-000010

## Sampling

Sample Collection Date/Time: 03/07/24 17:05  
Sample Collection Site: Nowave  
Sampling Firm: Client provided  
Sampling Method: N/A  
Sampling Notes/Deviations:

Weed Water: Gelato HEMP

Ingestible, Beverage  
Contact Person: Seth Brophy

## Pesticides

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Dimethoate	0.10	0.20	ND	Pass
Dimethomorph	0.10	1.00	ND	Pass
Ethoprophos	0.10	0.20	ND	Pass
Etofenprox	0.10	0.40	ND	Pass
Etoazole	0.10	0.20	ND	Pass
Fenhexamid	0.10	1.00	ND	Pass
Fenoxycarb	0.10	0.20	ND	Pass
Fenpyroximate	0.10	0.40	ND	Pass
Fipronil	0.10	0.40	ND	Pass
Flonicamid	0.10	1.00	ND	Pass
Fludioxonil	0.10	0.40	ND	Pass
Hexythiazox	0.10	1.00	ND	Pass
Imazalil	0.10	0.20	ND	Pass
Imidacloprid	0.10	0.40	ND	Pass
Indolebutyric Acid	0.50	1.00	ND	Pass
Kresoxim Methyl	0.10	0.40	ND	Pass
Malathion	0.10	0.20	ND	Pass
Metalaxyl	0.10	0.20	ND	Pass
Methiocarb	0.10	0.20	ND	Pass
Methomyl	0.10	0.40	ND	Pass
Methyl Parathion	0.10	0.20	ND	Pass
Mevinphos	0.10	1.00	ND	Pass
MGK-264	0.10	0.20	ND	Pass
Myclobutanil	0.10	0.20	ND	Pass
Naled	0.10	0.50	ND	Pass

Entered By: AS, Instrument ID: AL1-003 & AL1-002  
Method: MTHD-008 GC Date Tested: 03/13/2024 16:54  
Method: MTHD-009 LC Date Tested: 03/12/2024 18:18  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-2022-00011



*Anshu Shrestha*

Anshu Shrestha  
Laboratory Director

*Violet Josik*

Violet Josik  
Quality Assurance Lead



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

Nowave LLC

Sample: 2403RLI0041.0128

Rochester, NY 14624

Strain: N/A  
Batch#: WWHEMPGEL0001; Batch Size: 1110 ml; Harvest Process Lot:  
Sample Received: 03/08/2024; Report Created: 03/18/2024;

Lic. #OCM-AUCP-22-000010

## Sampling

Sample Collection Date/Time: 03/07/24 17:05  
Sample Collection Site: Nowave  
Sampling Firm: Client provided  
Sampling Method: N/A  
Sampling Notes/Deviations:

Weed Water: Gelato HEMP

Ingestible, Beverage  
Contact Person: Seth Brophy

Pesticides

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Oxamyl	0.10	1.00	ND	Pass
Paclbutrazol	0.10	0.40	ND	Pass
Pentachloronitrobenzene	0.50	1.00	ND	Pass
Permethrins	0.10	0.20	ND	Pass
Phosmet	0.10	0.20	ND	Pass
Piperonyl Butoxide	0.10	2.00	ND	Pass
Prallethrin	0.10	0.20	ND	Pass
Propiconazole	0.10	0.40	ND	Pass
Propoxur	0.10	0.20	ND	Pass
Pyrethrins	0.03	1.00	<LOQ	Pass
Pyridaben	0.10	0.20	ND	Pass
Spinetoram	0.10	1.00	ND	Pass
Spinosad	0.10	0.20	ND	Pass
Spiromesifen	0.10	0.20	ND	Pass
Spirotetramat	0.10	0.20	ND	Pass
Spiroxamine	0.10	0.20	ND	Pass
Tebuconazole	0.10	0.40	ND	Pass
Thiacloprid	0.10	0.20	ND	Pass
Thiamethoxam	0.10	0.20	ND	Pass
Trifloxystrobin	0.10	0.20	ND	Pass

Entered By: AS, Instrument ID: AL1-003 & AL1-002  
Method: MTHD-008 GC Date Tested: 03/13/2024 16:54  
Method: MTHD-009 LC Date Tested: 03/12/2024 18:18  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-2022-00011



*Anshu Shrestha*

Anshu Shrestha  
Laboratory Director

*Violet Josik*

Violet Josik  
Quality Assurance Lead



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.