



KCA Laboratories
 232 North Plaza Drive
 Nicholasville, KY 40356

+1-833-KCA-LABS
<https://kcalabs.com>
 KDA Lic.# P_0058

Certificate of Analysis

Delta 8 Tincture (1,000 mg)

Sample ID: SA-230503-21245
 Batch: 3/20/21
 Type: Finished Product - Ingestible
 Matrix: Oil / Liquid - Alcohol (Tincture)
 Unit Mass (g):

Received: 05/05/2023
 Completed: 05/17/2023

Client
 Elyxr
 330 Wall St #1
 Los Angeles, CA 90013
 USA



Summary

Test Cannabinoids	Date Tested 05/17/2023	Status Tested
-----------------------------	----------------------------------	-------------------------

ND Total Δ9-THC	32.5 mg/mL Δ8-THC	33.8 mg/mL Total Cannabinoids	Not Tested Moisture Content	Not Tested Foreign Matter	Yes Internal Standard Normalization
---------------------------	-----------------------------	---	---------------------------------------	-------------------------------------	---

Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS

Analyte	LOD (mg/mL)	LOQ (mg/mL)	Result (mg/mL)	Result (%)	Result (mg/unit)
CBC	0.00095	0.00284	ND	ND	ND
CBCA	0.00181	0.00543	ND	ND	ND
CBCV	0.0006	0.0018	ND	ND	ND
CBD	0.00081	0.00242	0.16831	0.0181	5.05
CBDA	0.00043	0.0013	ND	ND	ND
CBDV	0.00061	0.00182	ND	ND	ND
CBDVA	0.00021	0.00063	ND	ND	ND
CBG	0.00057	0.00172	0.26509	0.0285	7.95
CBGA	0.00049	0.00147	ND	ND	ND
CBL	0.00112	0.00335	ND	ND	ND
CBLA	0.00124	0.00371	ND	ND	ND
CBN	0.00056	0.00169	0.72406	0.0777	21.7
CBNA	0.0006	0.00181	ND	ND	ND
CBT	0.0018	0.0054	0.11248	0.0121	3.37
Δ8-THC	0.00104	0.00312	32.51984	3.49	976
Δ8-THCV	0.00067	0.002	ND	ND	ND
Δ9-THC	0.00076	0.00227	ND	ND	ND
Δ9-THCA	0.00084	0.00251	ND	ND	ND
Δ9-THCV	0.00069	0.00206	ND	ND	ND
Δ9-THCVA	0.00062	0.00186	ND	ND	ND
Δ8-iso-THC	0.00067	0.002	ND	ND	ND
Δ4,8-iso-THC	0.00067	0.002	ND	ND	ND
Total Δ9-THC			ND	ND	ND
Total			33.8	3.63	1010

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;

RBD

Generated By: Ryan Bellone
 CCO
 Date: 05/17/2023

NH

Tested By: Nicholas Howard
 Scientist
 Date: 05/17/2023



ISO/IEC 17025:2017 Accredited
 Accreditation #108651



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.