



KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

Live Resin Delta 8 Cartridge 1 Gram (1000mg)

Sample ID: SA-230503-21247 Batch: 01/25/23

Type: Finished Product - Inhalable Matrix: Concentrate - Vape

Unit Mass (g):

Received: 05/05/2023 Completed: 05/17/2023 Client

Elyxr 330 Wall St #1 Los Angeles, CA 90013



1 of 1



Summary

Cannabinoids

Date Tested 05/17/2023

Status Tested

0.554 % Total A9-THC

81.3 % Δ8-ΤΗС

95.5 % Total Cannabinoids

Not Tested Moisture Content **Not Tested**

Foreign Matter

Yes

Internal Standard Normalization

Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCA	0.0181	0.0543	0.531	5.31
CBCV	0.006	0,018	ND	ND
CBD	0.0081	0.0242	0.270	2.70
CBDA	0.0043	0.013	7.56	75.6
CBDV	0.0061	0.0182	ND	ND
CBDVA	0.0021	0.0063	0.133	1.33
CBG	0.0057	0.0172	0.309	3.09
CBGA	0.0049	0.0147	0.153	1.53
CBL	0.0112	0.0335	ND	ND
CBLA	0.0124	0.0371	ND	ND
CBN	0.0056	0.0169	0.166	1.66
CBNA	0.006	0.0181	ND	ND
CBT	0.018	0.054	0.226	2.26
Δ8-ΤΗС	0.0104	0.0312	81.3	813
Δ8-THCV	0.0067	0.02	0.318	3.18
Δ9-ΤΗС	0.0076	0.0227	0.193	1.93
Δ9-ΤΗCΑ	0.0084	0.0251	0.411	4.11
Δ9-THCV	0.0069	0.0206	ND	ND
Δ9-ΤΗCVA	0.0062	0.0186	ND	ND
Δ8-iso-THC	0.0067	0.02	0.512	5.12
Δ4,8-iso-THC	0.0067	0.02	3.44	34.4
Total Δ9-THC			0.554	5.54
Total			95.5	955

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone

CCO Date: 05/17/2023 Tested By: Scott Caudill Senior Scientist Date: 05/17/2023





ISO/IEC 17025:2017 Accredited



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substatested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories KCA Laboratories can provide measurement uncertainty upon request.