**KCA Laboratories** 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

## Lean syrup-mango

Sample ID: SA-230608-22544 Batch: 1012342 Type: Finished Product - Inhalable Matrix: Oil / Liquid - Beverage Unit Mass (g):

Received: 06/12/2023 Completed: 06/15/2023 Client

**EXPERIENCE CBD** 1455 Commerce Place Myrtle Beach, SC 29577 USA



1 of 1



Summary

Test Cannabinoids **Date Tested** 06/15/2023

**Status Tested** 

3.05 mg/mL

Total Δ9-THC

3.05 mg/mL

Δ9-ΤΗС

3.71 mg/mL

Total Cannabinoids

**Not Tested** 

Moisture Content

**Not Tested** 

Foreign Matter

Yes

Internal Standard Normalization

## Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS

Analyte	LOD (mg/mL)	LOQ (mg/mL)	Result (mg/mL)	Result (%)	Result (mg/unit)
CBC	0.00095	0.00284	ND	ND	ND
CBCA	0.00181	0.00543	ND	ND	ND
CBCV	0.0006	0.0018	ND	ND	ND
CBD	0.00081	0.00242	ND	ND	ND
CBDA	0.00043	0.0013	ND	ND	ND
CBDV	0.00061	0.00182	ND	ND	ND
CBDVA	0.00021	0.00063	ND	ND	ND
CBG	0.00057	0.00172	0.176	0.0174	42.2
CBGA	0.00049	0.00147	ND	ND	ND
CBL	0.00112	0.00335	ND	ND	ND
CBLA	0.00124	0.00371	ND	ND	ND
CBN	0.00056	0.00169	0.340	0.0338	81.6
CBNA	0.0006	0.00181	ND	ND	ND
CBT	0.0018	0.0054	ND	ND	ND
Δ8-ΤΗС	0.00104	0.00312	0.144	0.0143	34.6
Δ9-ΤΗС	0.00076	0.00227	3.05	0.303	734
Δ9-ΤΗCΑ	0.00084	0.00251	ND ND	ND	ND
Δ9-ΤΗCV	0.00069	0.00206	F ND F D	ND	ND
Δ9-THCVA	0.00062	0.00186	ND	ND	ND
Total Δ9-THC			3.05	0.303	734
Total			3.71	0.369	892

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA\* 0.877 + Δ9-THC; Total CBD = CBDA\* 0.877 + CBD;

Generated By: Ryan Bellone CCO

Date: 06/15/2023

Tested By: Nicholas Howard Scientist Date: 06/15/2023









This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories CCA Laboratories are provide measurement uncertainty upon request.