

Certificate of Analysis

UFORIA 1000mg

Client: UFORIA



Analysis Summary

	mg/serving
Mitragynine	0.319
7-OH Mitragynine	40.444
Paynantheine	0.113
Speciogynine	0.313
Speciociliatine	0.223
Corynantheidine	0.298
Mitraphylline	ND
9-O-desmethyl Mitragynine	ND
Corynoxine B	ND
Ajmalicine	ND
Isomitraphylline	ND
Mitraciliatine	0.109
Mitragynine pseudoindoxyl	0.47
MGM-15 (CAS No. 1158901-38-2)	ND
Total Quantified Alkaloids	42.29

Analysis Overview

Residual Solvents & Processing Chemicals	Pass
--	------

Sample Name:
UFORIA 1000mg

Matrix:
Other

Serving Mass:
0.552 g per serving

Sample ID:
70060316-13

Date Received:
3/16/26

Marie True

Approved By:
Marie True, M.S.
Laboratory Manager

This certificate of analysis is responsible for the tested sample only and is for research use only. This certificate of analysis shall not be reproduced, except in its entirety, without the written approval of FESA Labs. FESA Labs shall not be liable for any damage that may result from the data contained herein in any way. FESA Labs makes no claim to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. If there are any questions with this report please email info@fesalabs.com. This certificate of analysis is intended only for the use of the party to whom it is addressed and may contain information that is confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately contact us.

References: limit of quantitation (LOQ), not detected (ND), not tested (NT)

Certificate of Analysis

Kratom Alkaloid Analysis

Complete

Analyte	LOD (%)	LOQ (%)	Mass (%)	Mass (mg/g)	Mass (mg/serving)
Mitragynine	0.016	0.049	0.0579	0.579	0.32
7-OH Mitragynine	0.019	0.058	7.3268	73.268	40.44
Paynantheine	0.022	0.066	0.0205	0.205	0.11
Speciogynine	0.019	0.056	0.0567	0.567	0.31
Speciociliatine	0.018	0.054	0.0404	0.404	0.22
Corynantheidine	0.024	0.073	0.0540	0.540	0.30
Mitraphylline	0.017	0.052	ND	ND	ND
9-O-desmethyl Mitragynine	0.017	0.050	ND	ND	ND
Corynoxine B	0.022	0.066	ND	ND	ND
Ajmalicine	0.024	0.071	ND	ND	ND
Isomitraphylline	0.019	0.057	ND	ND	ND
Mitraciliatine	0.020	0.060	0.0197	0.197	0.11
Mitragynine pseudoindoxyl	0.033	0.098	0.085	0.85	0.47
MGM-15 (CAS No. 1158901-38-2)	0.011	0.03	ND	ND	ND
Total Quantified Alkaloids			7.6605	76.605	42.29

Residual Solvents Analysis

Pass

Analyte	LOQ (µg/g)	Limit (mg/g)	Mass (mg/g)	Status
Acetone	0.490	5.000	ND	Pass
Acetonitrile	0.460	0.410	ND	Pass
Benzene	0.590	0.002	ND	Pass
Butane	0.560	N/A	ND	N/A
Chloroform	0.510	0.060	ND	Pass
1,2-Dichloroethane	0.570	0.005	ND	Pass
Ethanol	0.470	5.000	ND	Pass
Ethyl Acetate	0.520	5.000	2.0400	Pass
Ethyl Ether	0.480	5.000	ND	Pass
Ethylene Oxide	0.460	0.010	ND	Pass
Heptane	0.520	5.000	ND	Pass
n-Hexane	0.540	0.290	ND	Pass
Isopropanol	0.580	5.000	ND	Pass
Methanol	0.460	3.000	ND	Pass
Methylene Chloride	0.560	0.600	ND	Pass
Pentane	0.520	5.000	ND	Pass
Propane	0.510	N/A	ND	N/A
Toluene	0.480	0.890	ND	Pass
Trichloroethylene	0.520	0.080	ND	Pass
Xylenes	0.580	2.170	ND	Pass

Method References:

HPLC SOP K5316L - Diode Array Detector, Liquid Chromatography.

HSGCMS02 - Headspace Gas Chromatography with Mass Spectrometric Detection for Residual Solvents Panel

Certificate of Analysis

Uforia 1000mg

Client: JT Labs & Research



Analysis Summary

	mg/serving
Mitragynine	0.269
7-OH Mitragynine	40.965
Paynantheine	0.305
Speciogynine	0.526
Speciociliatine	2.530
Corynantheidine	ND
Mitraphylline	0.483
9-O-desmethyl Mitragynine	ND
Corynoxine B	ND
Ajmalicine	ND
Isomitraphylline	ND
Mitraciliatine	ND
Total Quantified Alkaloids	45.08

Analysis Overview

Residual Solvents & Processing Chemicals	Pass
--	------

Sample Name:

Uforia 1000mg

Matrix:

Other

Serving Mass:

0.52 g per serving

Sample ID:

65451013-1

Date Received:

10/13/25



Approved By:

Marie True, M.S.

Laboratory Manager

This certificate of analysis is responsible for the tested sample only and is for research use only. This certificate of analysis shall not be reproduced, except in its entirety, without the written approval of FESA Labs. FESA Labs shall not be liable for any damage that may result from the data contained herein in any way. FESA Labs makes no claim to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. If there are any questions with this report please email info@fesalabs.com. This certificate of analysis is intended only for the use of the party to whom it is addressed and may contain information that is confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately contact us.

References: limit of quantitation (LOQ), not detected (ND), not tested (NT)

Certificate of Analysis

Kratom Alkaloid Analysis

Complete

Analyte	LOD (%)	LOQ (%)	Mass (%)	Mass (mg/g)	Mass (mg/serving)
Mitragynine	0.016	0.049	0.052	0.52	0.27
7-OH Mitragynine	0.019	0.058	7.878	78.78	40.97
Paynantheine	0.022	0.066	0.059	0.59	0.30
Speciogynine	0.019	0.056	0.101	1.01	0.53
Speciociliatine	0.018	0.054	0.487	4.87	2.53
Corynantheidine	0.024	0.073	ND	ND	ND
Mitraphylline	0.017	0.052	0.093	0.93	0.48
9-O-desmethyl Mitragynine	0.017	0.050	ND	ND	ND
Corynoxine B	0.022	0.066	ND	ND	ND
Ajmalicine	0.024	0.071	ND	ND	ND
Isomitraphylline	0.019	0.057	ND	ND	ND
Mitraciliatine	0.020	0.060	ND	ND	ND
Total Quantified Alkaloids			8.669	86.69	45.08

Residual Solvents Analysis

Pass

Analyte	LOQ (mg/g)	Limit (mg/g)	Mass (mg/g)	Status
Acetone	0.100	5.000	ND	Pass
Acetonitrile	0.100	0.410	ND	Pass
Benzene	0.001	0.002	ND	Pass
Butane	0.100	N/A	ND	N/A
Chloroform	0.001	0.060	ND	Pass
1,2-Dichloroethane	0.001	0.005	ND	Pass
Ethanol	0.100	5.000	ND	Pass
Ethyl Acetate	0.100	5.000	2.45	Pass
Ethyl Ether	0.100	5.000	ND	Pass
Ethylene Oxide	0.001	0.010	ND	Pass
Heptane	0.100	5.000	ND	Pass
n-Hexane	0.100	0.290	ND	Pass
Isopropanol	0.100	5.000	ND	Pass
Methanol	0.100	3.000	ND	Pass
Methylene Chloride	0.001	0.600	ND	Pass
Pentane	0.100	5.000	ND	Pass
Propane	0.100	N/A	ND	N/A
Toluene	0.100	0.890	ND	Pass
Trichloroethylene	0.001	0.080	ND	Pass
Xylenes	0.100	2.170	ND	Pass

Method References:

HPLC SOP K5316L - Diode Array Detector, Liquid Chromatography.

Residual Solvents Analysis - 20 compounds (USP_467)

USP current revision, Chapter 62.

United States Pharmacopeia, 38nd Rev. - National Formulary 33th Ed., Method <467>, USP Convention, Inc., Rockville, MD (2015) (modified).