



1341 Distribution Way 16, Vista CA 92081
www.Wonderland-Labs.com | (800) 647-3154

Certificate of Analysis

30 APRIL 2026
SIMPLE RESET / LOT #: 10 TABS



CLIENT:	Simple Reset	SAMPLE SET:	233650
Address:	1621 Central Ave	Prepped By:	Aimee B.
Address:	Cheyenne, WY 82001	Date Acquired:	04/30/2026
Dilution:	1:10	Acquisition Method:	MIT-EVO_R2026-PT
Sample Matrix:	Powder	Testing ID:	GRD-MIT_169539.D
Sample Weight:	200mg	Date Processed:	04/30/2026
Product Weight:	0.787g/tablet	Calibration ID:	CALI-567-2026

#	Analyte	Formula	Analytical Method(s)	Total %	Unit
1	SR-17018	$C_{19}H_{18}Cl_3N_{30}$	HPLC (Adapted SOP-0981.00 SR v1)	6.60	mg/g
2	Mitragynine	$C_{23}H_{30}N_2O_4$	HPLC (Adapted Mudge & Brown, 2020*)	N/D	mg/g
3	7-Hydroxymitragynine	$C_{23}H_{30}N_2O_5$	HPLC (Adapted Mudge & Brown, 2020*)	N/D	mg/g
4	MGM-15 (semi-synthetic)	$C_{23}H_{30}N_2O_5$	HPLC (Adapted Mudge & Brown, 2020*)	N/D	mg/g
5	Mitragynine Pseudoindoxyl	$C_{23}H_{30}N_2O_5$	HPLC (Adapted Mudge & Brown, 2020*)	N/D	mg/g
TOTAL ALKALOIDS:				6.60%	mg/g

SR-17018 Content: **52** mg/tab
7OH Content: **0** mg/tab
Pseudo Content: **0** mg/tab
MGM-15 Content: **0** mg/tab



SEAL OF AUTHENTICITY

VERIFIED BY: *[Signature]*

Quality Assurance: *Sarah T.*

* Method conforms to AOAC Kratom Working Group SMPRs for mitragynine and 7-OH plus internal lab methods MIT-EVO_R2025-01 / JIA-KVL_2024-R1.

** LOD for 7-Hydroxymitragynine (7-OH) is 0.1ppm and N/D on this COA indicates a value below the LOD.

Decision Rule: When statements of conformity are provided, measurement of uncertainty is not taken into consideration when determining those statements.

Simple acceptance is used. COA results apply to the samples as received.

COA shall not be reproduced except in full without approval of Wonderland Labs. | Page 1 of 1